






# Specification sheet

## PVE 500 STAGE V / TIER 4F

### Hydraulic Power Pack

English



#### Specifications :

#### PVE 500 STAGE V / TIER 4F




|                         |                   |       |
|-------------------------|-------------------|-------|
| Diesel Engine           | Volvo TAD 1384 VE |       |
| Max. theoretical power  | 375/510           | kW/HP |
| Max. frequency          | 1900              | rpm   |
| Max. operating pressure | 350               | bar   |
| Hydraulic pump          | Parker            |       |
| Max. oil flow           | 520               | L/min |
| Diesel oil              | 790               | L     |
| DEF (AdBlue) capacity   | 45                | L     |
| Hydraulic oil           | 1245              | L     |
| Weight without fuel     | 6900              | kg    |
| Weight filled up        | 7600              | kg    |



# Technische Daten PVE 500 STAGE V / TIER 4F

Aggregat

Deutsch

**Technische Daten :****PVE 500 STAGE V / TIER 4F**




|                            |                   |       |
|----------------------------|-------------------|-------|
| Dieselmotor                | Volvo TAD 1384 VE |       |
| Max. theoretische Leistung | 375/510           | kW/HP |
| Max. Drehzahl              | 1900              | rpm   |
| Max. Betriebsdruck         | 350               | bar   |
| Hydraulische Pumpe         | Parker            |       |
| Max. Fördermenge           | 520               | L/min |
| Diesel Öl                  | 790               | L     |
| DAF (AdBlue) kapazität     | 45                | L     |
| Hydraulische Öl            | 1245              | L     |
| Gewicht ohne Diesel Öl     | 6900              | kg    |
| Gewicht                    | 7600              | kg    |



# Spécifications

## PVE 500 STAGE V / TIER 4F

Groupe hydraulique



### Spécifications

### PVE 500 STAGE V / TIER 4F

|                          |                   |       |
|--------------------------|-------------------|-------|
| Moteur Diesel            | Volvo TAD 1384 VE |       |
| Puissance théorique max. | 375/510           | kW/HP |
| Max. fréquence           | 1900              | rpm   |
| Pression de travail max. | 350               | bar   |
| Pompe hydraulique        | Parker            |       |
| Débit d'huile max.       | 520               | L/min |
| Huile diesel             | 790               | L     |
| Capacité FED (AdBlue)    | 45                | L     |
| Huile hydraulique        | 1245              | L     |
| Poids sans huile diesel  | 6900              | kg    |
| Poids                    | 7600              | kg    |






# Specificaties

## PVE 500 STAGE V / TIER 4F

Hydraulisch aggregaat

Nederlands



### Specificaties

### PVE 500 STAGE V / TIER 4F

|                           |                   |       |
|---------------------------|-------------------|-------|
| Dieselmotor               | Volvo TAD 1384 VE |       |
| Max. theoretisch vermogen | 375/510           | kW/HP |
| Max. toerental            | 1900              | rpm   |
| Max. werkdruk             | 350               | bar   |
| Hydraulische pomp         | Parker            |       |
| Max. olie doorstroming    | 520               | L/min |
| Diesel olie               | 790               | L     |
| DEF (AdBlue) capaciteit   | 45                | L     |
| Hydraulische olie         | 1245              | L     |
| Gewicht zonder diesel     | 6900              | kg    |
| Gewicht                   | 7600              | kg    |






# Especificaciones

## PVE 500 STAGE V / TIER 4F

Unidad de potencia

Español



### Especificaciones

### PVE 500 STAGE V / TIER 4F

|                           |                   |       |
|---------------------------|-------------------|-------|
| Motor de diesel           | Volvo TAD 1384 VE |       |
| Potencia Máxima teórica   | 375/510           | kW/HP |
| Frecuencia máxima         | 1900              | rpm   |
| Presión máxima de trabajo | 350               | bar   |
| Bomba hidráulica          | Parker            |       |
| Flujo de aceite máximo    | 520               | L/min |
| Gasóleo                   | 790               | L     |
| Capacidad DEF (AdBlue)    | 45                | L     |
| El aceite hidráulico      | 1245              | L     |
| Peso sin gasóleo          | 6900              | kg    |
| Peso                      | 7600              | kg    |




# Specifications

## PVE 500 STAGE V / TIER 4F

### Hydraulic Power Pack

USA

Dimensions in inches



### Specifications

### PVE 500 STAGE V / TIER 4F

|                         |                   |         |
|-------------------------|-------------------|---------|
| Diesel Engine           | Volvo TAD 1384 VE |         |
| Max. theoretical power  | 375/510           | kW/HP   |
| Max. frequency          | 1,900             | rpm     |
| Max. operating pressure | 5,076             | psi     |
| Hydraulic pump          | Parker            |         |
| Max. oil flow           | 137               | gal/min |
| Diesel Fuel             | 209               | gal     |
| DEF (AdBlue) capacity   | 12                | gal     |
| Hydraulic oil           | 329               | gal     |
| Weight without fuel     | 15,212            | lbs     |
| Weight with fuel        | 16,755            | lbs     |






# Specificatii

## PVE 500 STAGE V / TIER 4F

unitate de putere hidraulica

românesc



### Specificatii :

### PVE 500 STAGE V / TIER 4F

|                                   |                   |       |
|-----------------------------------|-------------------|-------|
| Motor diesel                      | Volvo TAD 1384 VE |       |
| Puterea maxima teoretica          | 375/510           | kW/HP |
| Frecventa maxima                  | 1900              | rpm   |
| Presiune maxima de lucru          | 350               | bar   |
| Pompa hidraulica                  | Parker            |       |
| Debit maxim de ulei               | 520               | L/min |
| motorină                          | 790               | L     |
| Capacitate rezervor aditiv AdBlue | 45                | L     |
| Ulei hidraulic                    | 1245              | L     |
| Greutatea fara combustibil        | 6900              | kg    |
| Greutatea cu combustibil          | 7600              | kg    |