
PILING & VIBRO EQUIPMENT

# Specification sheet

# PVE 40TU

## Sheet Pile Clamp

English




| Specifications : | PVE 40TU | |
|---|---|---|
| Sheet pile clamp | | |
| Clamping force | 400 | kN |
| Max. operating press. | 320 | bar |
| Max. clamp open press. | 180 | bar |
| Weight | 165 | kg |


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT

# Technische Daten

# PVE 40TU

Spundwandzange

Deutsch





| Technische Daten : | PVE 40TU | |
|---|---|---|
| Spundwandzange | | |
| Klemmkraft | 400 | kN |
| Max. Betriebsdruck | 320 | bar |
| Max. Druck Zange Offen | 180 | bar |
| Gewicht | 165 | kg |


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.

PILING & VIBRO EQUIPMENT

# Spécifications
# PVE 40TU
## Pince palplanches

Français




| Spécifications | PVE 40TU | |
|---|---|---|
| Pince palplanches | | |
| Force de serrage | 400 | kN |
| Pression de travail max. | 320 | bar |
| Pression pince ouvert max. | 180 | bar |
| Poids | 165 | kg |


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT


# Specificaties


# PVE 40TU


Damwandklem


Nederlands











| Specificaties | PVE 40TU | |
|---|---|---|
| Damwandklem | | |
| Klemkracht | 400 | kN |
| Max. werkdruk | 320 | bar |
| Max. klem open druk | 180 | bar |
| Gewicht | 165 | kg |


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT

# Especificaciones

# PVE 40TU

## Hoja abrazadera pila

Español




| Especificaciones | PVE 40TU | |
|---|---|---|
| Hoja abrazadera pila | | |
| Fuerza de sujeción | 400 | kN |
| Presión máx. de trabajo | 320 | bar |
| Presión abrazadera aperto máx. | 180 | bar |
| Peso | 165 | kg |


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.

PILING & VIBRO EQUIPMENT


# Specifications

# PVE 40TU

Sheet pile clamp

USA

INCHES




| Specifications | PVE 40TU | |
|---|---|---|
| Sheet pile clamp | | |
| Clamping force | 45 | ton |
| Max. operating press. | 4,641 | psi |
| Max. clamp open press. | 2,611 | psi |
| Weight | 364 | lbs |


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT


# Specificatii


# PVE 40TU


## Menghina pentru palplanse


românesc











| Specificatii : | PVE 40TU | |
|---|---|---|
| Cleme pentru pereti de foi | | |
| Forta de prindere | 400 | kN |
| Presiunea maxima de lucru | 320 | bar |
| Presiunea maxima cu clemele deschise | 180 | bar |
| Greutate | 165 | kg |


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.