
PILING & VIBRO EQUIPMENT

Specification sheet

PVE 85TU

Sheet Pile Clamp

English



Specifications :	PVE 85TU	
Sheet pile clamp		
Clamping force	850	kN
Max. operating press.	300	bar
Max. clamp open press.	180	bar
Weight	600	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT

Technische Daten

PVE 85TU

Spundwandzange

Deutsch



Technische Daten :	PVE 85TU	
Spundwandzange		
Klemmkraft	850	kN
Max. Betriebsdruck	300	bar
Max. Druck Zange Offen	180	bar
Gewicht	600	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT

Spécifications

PVE 85TU

Pince palplanches

Français



Spécifications	PVE 85TU	
Pince palplanches		
Force de serrage	850	kN
Pression de travail max.	300	bar
Pression pince ouvert max.	180	bar
Poids	600	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT

Specificaties

PVE 85TU

Damwandklem

Nederlands



Specificaties	PVE 85TU	
Damwandklem		
Klemkracht	850	kN
Max. werkdruk	300	bar
Max. klem open druk	180	bar
Gewicht	600	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT

Especificaciones

PVE 85TU

Hoja abrazadera pila

Español



Especificaciones	PVE 85TU	
Hoja abrazadera pila		
Fuerza de sujeción	850	kN
Presión máx. de trabajo	300	bar
Presión abrazadera aperto máx.	180	bar
Peso	600	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.

PILING & VIBRO EQUIPMENT


Specifications

PVE 85TU

Sheet pile clamp

USA

INCHES



Specifications	PVE 85TU	
Sheet pile clamp		
Clamping force	96	ton
Max. operating press.	4,351	psi
Max. clamp open press.	2,611	psi
Weight	1,323	lbs

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT

Specificatii

PVE 85TU

Menghina pentru palplanse

românesc



Specificatii :	PVE 85TU	
Menghina pentru palplanse		
Forta de prindere	850	kN
Presiunea maxima de lucru	300	bar
Presiunea maxima cu clemele deschise	180	bar
Greutate	600	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.