
PILING & VIBRO EQUIPMENT

Specification sheet

PVE 100TU

Sheet Pile Clamp

English



Specifications :	PVE 100TU	
Sheet pile clamp		
Clamping force	1000	kN
Max. operating press.	320	bar
Max. clamp open press.	180	bar
Weight	490	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT

Technische Daten

PVE 100TU

Spundwandzange

Deutsch




Technische Daten :	PVE 100TU	
Spundwandzange		
Klemmkraft	1000	kN
Max. Betriebsdruck	320	bar
Max. Druck Zange Offen	180	bar
Gewicht	490	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.

PILING & VIBRO EQUIPMENT

Spécifications
PVE 100TU
Pince palplanches

Français



Spécifications	PVE 100TU	
Pince palplanches		
Force de serrage	1000	kN
Pression de travail max.	320	bar
Pression pince ouvert max.	180	bar
Poids	490	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT

Specificaties

PVE 100TU

Damwandklem

Nederlands



Specificaties	PVE 100TU	
Damwandklem		
Klemkracht	1000	kN
Max. werkdruk	320	bar
Max. klem open druk	180	bar
Gewicht	490	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT

Especificaciones

PVE 100TU

Hoja abrazadera pila

Español



Especificaciones	PVE 100TU	
Hoja abrazadera pila		
Fuerza de sujeción	1000	kN
Presión máx. de trabajo	320	bar
Presión abrazadera aperto máx.	180	bar
Peso	490	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.

PILING & VIBRO EQUIPMENT


Specifications

PVE 100TU

Sheet pile clamp

USA

INCHES



Specifications	PVE 100TU	
Sheet pile clamp		
Clamping force	112	ton
Max. operating press.	4,641	psi
Max. clamp open press.	2,611	psi
Weight	1,080	lbs

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT

Specificatii

PVE 100TU

Menghina pentru palplanse

românesc



Specificatii :	PVE 100TU	
Cleme pentru pereti de foi		
Forta de prindere	1000	kN
Presiunea maxima de lucru	320	bar
Presiunea maxima cu clemele deschise	180	bar
Greutate	490	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.