
PILING & VIBRO EQUIPMENT

Specification sheet

PVE 130TU-P

Sheet Pile Clamp

English



Specifications :	PVE 130TU-P	
Sheet pile clamp		
Clamping force	1300	kN
Max. operating press.	300	bar
Max. clamp open press.	180	bar
Weight	750	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT


Technische Daten


PVE 130TU-P


Spundwandzange


Deutsch















Technische Daten :	PVE 130TU-P	
Spundwandzange		
Klemmkraft	1300	kN
Max. Betriebsdruck	300	bar
Max. Druck Zange Offen	180	bar
Gewicht	750	kg


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT


Spécifications
PVE 130TU-P
Pince palplanches


Français














Spécifications	PVE 130TU-P	
Pince palplanches		
Force de serrage	1300	kN
Pression de travail max.	300	bar
Pression pince ouvert max.	180	bar
Poids	750	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT


Specificaties


PVE 130TU-P


Damwandklem


Nederlands















Specificaties	PVE 130TU-P	
Damwandklem		
Klemkracht	1300	kN
Max. werkdruk	300	bar
Max. klem open druk	180	bar
Gewicht	750	kg


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT


Especificaciones
PVE 130TU-P
Hoja abrazadera pila


Español














Especificaciones	PVE 130TU-P	
Hoja abrazadera pila		
Fuerza de sujeción	1300	kN
Presión máx. de trabajo	300	bar
Presión abrazadera aperto máx.	180	bar
Peso	750	kg


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.

PILING & VIBRO EQUIPMENT

Specifications
PVE 130TU-P
Sheet pile clamp

USA

INCHES



Specifications	PVE 130TU-P	
Sheet pile clamp		
Clamping force	146	ton
Max. operating press.	4,351	psi
Max. clamp open press.	2,611	psi
Weight	1,653	lbs

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT


Specificatii


PVE 130TU-P


Menghina pentru palplanse


românesc














Specificatii :	PVE 130TU-P	
Cleme pentru pereti de foi		
Forta de prindere	1300	kN
Presiunea maxima de lucru	300	bar
Presiunea maxima cu clemele deschise	180	bar
Greutate	750	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.