
PILING & VIBRO EQUIPMENT


# Specification sheet


# PVE 150TU


## Sheet Pile Clamp


English









| Specifications : | PVE 150TU | |
|---|---|---|
| Sheet pile clamp | | |
| Clamping force | 1500 | kN |
| Max. operating press. | 300 | bar |
| Max. clamp open press. | 180 | bar |
| Weight | 1270 | kg |


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT

# Technische Daten

# PVE 150TU

Spundwandzange

Deutsch





| Technische Daten : | PVE 150TU | |
|---|---|---|
| Spundwandzange | | |
| Klemmkraft | 1500 | kN |
| Max. Betriebsdruck | 300 | bar |
| Max. Druck Zange Offen | 180 | bar |
| Gewicht | 1270 | kg |



Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT


# Spécifications
# PVE 150TU
## Pince palplanches


Français









| Spécifications | PVE 150TU | |
|---|---|---|
| Pince palplanches | | |
| Force de serrage | 1500 | kN |
| Pression de travail max. | 300 | bar |
| Pression pince ouvert max. | 180 | bar |
| Poids | 1270 | kg |


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT

# Specificaties

# PVE 150TU

Damwandklem

Nederlands





| Specificaties | PVE 150TU | |
|---|---|---|
| Damwandklem | | |
| Klemkracht | 1500 | kN |
| Max. werkdruk | 300 | bar |
| Max. klem open druk | 180 | bar |
| Gewicht | 1270 | kg |



Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT


# Especificaciones
# PVE 150TU
## Hoja abrazadera pila


Español









| Especificaciones | PVE 150TU | |
|---|---|---|
| Hoja abrazadera pila | | |
| Fuerza de sujeción | 1500 | kN |
| Presión máx. de trabajo | 300 | bar |
| Presión abrazadera aperto máx. | 180 | bar |
| Peso | 1270 | kg |



Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.

PILING & VIBRO EQUIPMENT

# Specifications
# PVE 150TU
Sheet pile clamp

USA

INCHES




| Specifications | PVE 150TU | |
|---|---|---|
| Sheet pile clamp | | |
| Clamping force | 169 | ton |
| Max. operating press. | 4,351 | psi |
| Max. clamp open press. | 2,611 | psi |
| Weight | 2,800 | lbs |


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


PILING & VIBRO EQUIPMENT


# Specificatii


# PVE 150TU


## Menghina pentru palplanse


românesc









| Specificatii : | PVE 150TU | |
|---|---|---|
| Cleme pentru pereti de foi | | |
| Forta de prindere | 1500 | kN |
| Presiunea maxima de lucru | 300 | bar |
| Presiunea maxima cu clemele deschise | 180 | bar |
| Greutate | 1270 | kg |


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.