




Specification sheet

PVE 150TU-L

Sheet Pile Clamp







English



Specifications :

PVE 150TU-L

Sheet pile clamp		
Clamping force	1500	kN
Max. operating press.	300	bar
Max. clamp open press.	180	bar
Weight	1100	kg



Technische Daten :

PVE 150TU-L

Spundwandzange		
Klemmkraft	1500	kN
Max. Betriebsdruck	300	bar
Max. Druck Zange Offen	180	bar
Gewicht	1100	kg









Spécifications

PVE 150TU-L

Pince palplanches







Français



Spécifications

PVE 150TU-L

Pince palplanches		
Force de serrage	1500	kN
Pression de travail max.	300	bar
Pression pince ouvert max.	180	bar
Poids	1100	kg

**Specificaties****PVE 150TU-L**

Damwandklem		
Klemkracht	1500	kN
Max. werkdruk	300	bar
Max. klem open druk	180	bar
Gewicht	1100	kg









Especificaciones

PVE 150TU-L

Hoja abrazadera pila

Español



Especificaciones

PVE 150TU-L

Hoja abrazadera pila		
Fuerza de sujeción	1500	kN
Presión máx. de trabajo	300	bar
Presión abrazadera aperto máx.	180	bar
Peso	1100	kg




Specifications

PVE 150TU-L

Sheet pile clamp

USA

INCHES



Specifications

PVE 150TU-L

Sheet pile clamp		
Clamping force	169	ton
Max. operating press.	4,351	psi
Max. clamp open press.	2,611	psi
Weight	2,425	lbs









Specificatii

PVE 150TU-L

Menghina pentru palplanse

românesc



Specificatii :

PVE 150TU-L

Cleme pentru pereti de foi		
Forta de prindere	1500	kN
Presiunea maxima de lucru	300	bar
Presiunea maxima cu clemele deschise	180	bar
Greutate	1100	kg