




Specification sheet

PVE 125TC

Tube Clamp


English



Specifications :

PVE 125TC

Tube pile clamp		
Clamping force	1250	kN
Max. operating press.	300	bar
Max. clamp open press.	180	bar
Min. Inner diameter	526	mm
Weight	900	kg



Technische Daten :

PVE 125TC

Rohrzange		
Klemmkraft	1250	kN
Max. Betriebsdruck	300	bar
Max. Druck Zange Offen	180	bar
Min. Rohr inner durchmesser	526	mm
Gewicht	900	kg




Spécifications

PVE 125TC

Pince tube


Français



Spécifications

PVE 125TC

Pince tube		
Force de serrage	1250	kN
Pression de travail max.	300	bar
Pression pince ouvert max.	180	bar
Diamètre tube dedans min.	526	mm
Poids	900	kg

**Specificaties****PVE 125TC**

Damwandklem		
Klemkracht	1250	kN
Max. werkdruk	300	bar
Max. klem open druk	180	bar
Min. buis binnen diameter	526	mm
Gewicht	900	kg




Especificaciones

PVE 125TC

Hoja abrazadera tubo

Español



Especificaciones

PVE 125TC

Hoja abrazadera tubo		
Fuerza de sujeción	1250	kN
Presión máx. de trabajo	300	bar
Presión abrazadera aperto máx.	180	bar
Diámetro min. tubo dentro	526	mm
Peso	900	kg









Specifications

PVE 125TC

Tube pile clamp

USA

INCHES



Specifications

PVE 125TC

Tube pile clamp		
Clamping force	141	ton
Max. operating press.	4,351	psi
Max. clamp open press.	2,611	psi
Min. Inner diameter	21	inch
Weight	1,984	lbs




Specificatii

PVE 125TC

Menhina pentru palplanse

romănesc



Specificatii :

PVE 125TC

Cleme pentru pereti de foi		
Forta de prindere	1250	kN
Presiunea maxima de lucru	300	bar
Presiunea maxima cu clemele deschise	180	bar
Diametrul interior minim	526	mm
Greutate	900	kg