




Specification sheet

PVE 200TC

Tube Clamp


English



Specifications :

PVE 200TC

Tube pile clamp		
Clamping force	2000	kN
Max. operating press.	320	bar
Max. clamp open press.	180	bar
Min. Inner diameter	725	mm
Weight	1350	kg



Technische Daten :

PVE 200TC

Rohrzange		
Klemmkraft	2000	kN
Max. Betriebsdruck	320	bar
Max. Druck Zange Offen	180	bar
Min. Rohr inner durchmesser	725	mm
Gewicht	1350	kg




Spécifications

PVE 200TC

Pince tube

Français



Spécifications

PVE 200TC

Pince tube		
Force de serrage	2000	kN
Pression de travail max.	320	bar
Pression pince ouvert max.	180	bar
Diamètre tube dedans min.	725	mm
Poids	1350	kg




Specificaties

PVE 200TC

Damwandklem

Nederlands



Specificaties

PVE 200TC

Damwandklem		
Klemkracht	2000	kN
Max. werkdruk	320	bar
Max. klem open druk	180	bar
Min. buis binnen diameter	725	mm
Gewicht	1350	kg




Especificaciones

PVE 200TC

Hoja abrazadera tubo

Español



Especificaciones

PVE 200TC

Hoja abrazadera tubo		
Fuerza de sujeción	2000	kN
Presión máx. de trabajo	320	bar
Presión abrazadera aperto máx.	180	bar
Diámetro min. tubo dentro	725	mm
Peso	1350	kg




Specifications

PVE 200TC

Tube pile clamp

USA


INCHES



Specifications

PVE 200TC

Tube pile clamp		
Clamping force	225	ton
Max. operating press.	4,641	psi
Max. clamp open press.	2,611	psi
Min. Inner diameter	29	inch
Weight	2,976	lbs



Specificatii :

PVE 200TC

Cleme pentru pereti de foi		
Forta de prindere	2000	kN
Presiunea maxima de lucru	320	bar
Presiunea maxima cu clemele deschise	180	bar
Diametrul interior minim	725	mm
Greutate	1350	kg