





Specifications :

ICE 200TC


Tube pile clamp		
Clamping force	2000	kN
Max. operating press.	320	bar
Max. clamp open press.	180	bar
Min. Inner diameter	725	mm
Weight	1350	kg



Technische Daten :

ICE 200TC


Rohrzange		
Klemmkraft	2000	kN
Max. Betriebsdruck	320	bar
Max. Druck Zange Offen	180	bar
Min. Rohr inner durchmesser	725	mm
Gewicht	1350	kg



Spécifications

ICE 200TC


Pince tube		
Force de serrage	2000	kN
Pression de travail max.	320	bar
Pression pince ouvert max.	180	bar
Diamètre tube dedans min.	725	mm
Poids	1350	kg



Specificaties

ICE 200TC

Damwandklem		
Klemkracht	2000	kN
Max. werkdruk	320	bar
Max. klem open druk	180	bar
Min. buis binnen diameter	725	mm
Gewicht	1350	kg



Especificaciones

ICE 200TC

Hoja abrazadera tubo

Fuerza de sujeción

2000

kN

Presión máx. de trabajo

320

bar

Presión abrazadera aperto máx.

180

bar

Diámetro min. tubo dentro


725

mm

Peso

1350

kg



Specifications

ICE 200TC


Tube pile clamp		
Clamping force	225	ton
Max. operating press.	4,641	psi
Max. clamp open press.	2,611	psi
Min. Inner diameter	29	inch
Weight	2,976	lbs

Specificatii

ICE 200TC

Menghina pentru palplanse

romănesc



Specificatii :

ICE 200TC

Cleme pentru pereti de foi		
Forta de prindere	2000	kN
Presiunea maxima de lucru	320	bar
Presiunea maxima cu clemele deschise	180	bar
Diametrul interior minim	725	mm
Greutate	1350	kg