






Specifications :		ICE 55TC
Tube pile clamp		
Clamping force	550	kN
Max. operating press.	300	bar
Max. clamp open press.	180	bar
Min. Inner diameter	294	mm
Weight	310	kg



Technische Daten :

ICE 55TC


Rohrzange		
Klemmkraft	550	kN
Max. Betriebsdruck	300	bar
Max. Druck Zange Offen	180	bar
Min. Rohr inner durchmesser	294	mm
Gewicht	310	kg



Spécifications

ICE 55TC


Pince tube		
Force de serrage	550	kN
Pression de travail max.	300	bar
Pression pince ouvert max.	180	bar
Diamètre tube dedans min.	294	mm
Poids	310	kg



Specificaties

ICE 55TC


Damwandklem		
Klemkracht	550	kN
Max. werkdruk	300	bar
Max. klem open druk	180	bar
Min. buis binnen diameter	294	mm
Gewicht	310	kg



Especificaciones

ICE 55TC


Hoja abrazadera tubo		
Fuerza de sujeción	550	kN
Presión máx. de trabajo	300	bar
Presión abrazadera aperto máx.	180	bar
Diámetro min. tubo dentro	294	mm
Peso	310	kg



Specifications

ICE 55TC

Tube pile clamp		
Clamping force	62	ton
Max. operating press.	4,351	psi
Max. clamp open press.	2,611	psi
Min. Inner diameter	12	inch
Weight	683	lbs



Specificatii :

ICE 55TC

menghina Țeavă		
Forta de prindere	550	kN
Presiunea maxima de lucru	300	bar
Presiunea maxima cu clemele deschise	180	bar
Diametrul interior minim	310	mm
Greutate	310	kg