
Specification sheet

ICE 320TU

Sheet Pile Clamp

English



Specifications :	ICE 320TU	
Sheet pile clamp		
Clamping force	3200	kN
Max. operating press.	320	bar
Max. clamp open press.	180	bar
Weight	2500	kg


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.

Technische Daten

ICE 320TU

Spundwandzange

Deutsch



Technische Daten :	ICE 320TU	
Spundwandzange		
Klemmkraft	3200	kN
Max. Betriebsdruck	320	bar
Max. Druck Zange Offen	180	bar
Gewicht	2500	kg


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.

Spécifications

ICE 320TU

Pince palplanches

Français



Spécifications	ICE 320TU	
Pince palplanches		
Force de serrage	3200	kN
Pression de travail max.	320	bar
Pression pince ouvert max.	180	bar
Poids	2500	kg


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.

Specificaties

ICE 320TU

Damwandklem

Nederlands




Specificaties	ICE 320TU	
Damwandklem		
Klemkracht	3200	kN
Max. werkdruk	320	bar
Max. klem open druk	180	bar
Gewicht	2500	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.

Especificaciones
ICE 320TU
Hoja abrazadera pila

Español




Especificaciones	ICE 320TU	
Hoja abrazadera pila		
Fuerza de sujeción	3200	kN
Presión máx. de trabajo	320	bar
Presión abrazadera aperto máx.	180	bar
Peso	2500	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.

Specifications
ICE 320TU
Sheet pile clamp

USA

INCHES



Specifications	ICE 320TU	
Sheet pile clamp		
Clamping force	360	ton
Max. operating press.	4,641	psi
Max. clamp open press.	2,611	psi
Weight	5,512	lbs


Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.


Specificatii


ICE 320TU

Menghina pentru palplanse

românesc







Specificatii :	ICE 320TU	
Cleme pentru pereti de foi		
Forta de prindere	3200	kN
Presiunea maxima de lucru	320	bar
Presiunea maxima cu clemele deschise	180	bar
Greutate	2500	kg

Dieseko group B.V. All rights reserved. No part of this publication may be reproduced and/or published in any manner whatsoever without prior written permission from Dieseko group B.V.